



भारत का राजपत्र

The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 435]
No. 435]

नई दिल्ली, सोमवार, मई 12, 2003/वैशाख 22, 1925
NEW DELHI, MONDAY, MAY 12, 2003/VAISAKHA 22, 1925

कृषि मंत्रालय

(कृषि और सहकारिता विभाग)

आदेश

नई दिल्ली, 12 मई, 2003

का.आ. 538(अ).—केन्द्रीय सरकार, आवश्यक वस्तु अधिनियम, 1955 (1955 का 10) की धारा 3 के अधीन बनाए गए उर्वरक (नियंत्रण) आदेश, 1985 की धारा 20 क के अनुसरण में राजपत्र में इस आदेश के प्रकाशन की तारीख से दो वर्ष की अवधि के लिए मैसर्स नेशनल फर्टिलाइजर लिमिटेड, ए-11, सेक्टर 24, नौएडा (उत्तर प्रदेश) द्वारा विनिर्माण किए जाने वाले निम्नलिखित अनन्तिम उर्वरकों की बाबत विनिर्देश अधिसूचित करती है :—

नीम विलेपित यूरिया

विनिर्देश

(i) भार के आधार पर आर्द्रता का अधिकतम प्रतिशत	1.5
(ii) भार के आधार पर कुल नाइट्रोजन का न्यूनतम प्रतिशत	45.0
(iii) भार के आधार पर ब्यूरेट का अधिकतम प्रतिशत	1.5
(iv) भार के आधार पर बेन्जीन विलेय घटक का न्यूनतम प्रतिशत	0.85

कण का आकार—सामग्री का 90 प्रतिशत से अन्यून जो 2.8 मि.मि. भा मा छलनी में से छन जाएगा और भार के अनुसार 80 प्रतिशत से अन्यून 1 मि.मी. भा मा छलनी पर रह जाएगा।

[फा. सं. 2-1/2002 उर्व. विधि]

सतीश चन्द्र, संयुक्त सचिव

MINISTRY OF AGRICULTURE**(Department of Agriculture and Cooperation)****ORDER**

New Delhi, the 12th May, 2003

S.O. 538(E).—In pursuance of clause 20A of the Fertilizer (Control) Order, 1985, made under Section 3 of the Essential Commodities Act, 1955 (10 of 1955), the Central Government hereby notifies the specifications in respect of following provisional fertilizer to be manufactured by M/s. National Fertilizer Limited, A-11, Sector 24 NOIDA (Uttar Pradesh) a period of two years from the date of publication of this Order in the Official Gazette:—

Neem Coated Urea

Specifications :

(i) Moisture per cent by weight, maximum	1.5
(ii) Total nitrogen per cent by weight, minimum	45.0
(iii) Biuret per cent by weight, maximum	1.5
(iv) Benzene soluble content per cent by weight minimum,	0.85

Particle size—not less than 90 per cent of the material shall pass through 2.8 mm IS sieve and not less than 80 per cent by weight shall be retained on 1 mm IS sieve.

[F. No. 2-1/2002 Fert. Law]

SATISH CHANDER, Jt. Secy.